


1/14

1 A Pseudomonas exotoxin

1 B V3-loop toxin chimera




1 C

Protein	Ib Loop Region Amino Acid Sequence	Molecular Mass
wild-type PE	-GAANADVVS LTCPVAAGECAGPAD-	67,122 Da
ntPE-V3MN14	-GAANLHCGIHIGPGRAFYT TKCMQGPAD-	67,729 Da
ntPE-V3MN26	-GAANLHCNYNKRKRRIHIGPGRAFYT TKNIIGTICMQGPAD-	68,937 Da
ntPE-V3ThE26	-GAANLHCSNNTRTSITIGPGQVFYRT GDIIGDDICMQGPAD-	68,700 Da
ntPE-FP16	-GAANLQCRLEEKKGNYVVTDHRLCLQGPAD-	67,862 Da


Figure 1.

2/14



SDS-PAGE


**FIG. 2A.**




IF12/MN

Western blot Analysis


**FIG. 2B.**



IB2/Th-E



IF12/MN




IB2/Th-E

Antibody-mediated capture of proteins


**FIG. 2C.**

3/14

3A



3B



3C

Sample	% $\alpha$ -helix*	% $\beta$ -sheet	% $\beta$ -turns	% other
wild-type PE	21	48	12	20
ntPE-V3MN14	26	46	10	19
ntPE-V3MN26	18	50	12	20

Figure 3.

SUBSTITUTE SHEET (RULE 26A)

4/14

## Cytotoxic activity for A431 Cells






Figure 4.

5/14

**FIG. 5A.****FIG. 5B.**

6/14




Figure 6.

7/14




Figure 7.

8/14




Figure 8.



9/14




Figure 9.

10/14




Figure 10.

## Salivary IgA Response Induced by ntPE-MN26




Figure 11.

# Serum IgG Response to Subcutaneous Injection of ntPE-MN26





Figure 12.

# Serum IgG Response Induced by ntPE-MN26



Months Post Initial Inoculation

Figure 13.

